



YESTERDAY'S CHARM...

...FOR TODAY'S LIVING

*Colonel Logan*®


STANDARD SIZE

ORNAMENTAL IRON

Save up to  $\frac{1}{3}$  the *Logan* way




Catalog  
No. 80-A





Now, every home owner can possess this hauntingly beautiful...

# Colonel Logan ORNAMENTAL IRON



Meet the Colonel! . . . If you have not already met him, this introduces Colonel Logan, symbol of the Logan line of ornamental iron work, fitting hallmark for products crafted in the tradition of the old South. Because of the Colonel's influence, home exteriors are showing a return to the beauty of an era of gracious living.

Whatever your income, you can enjoy the lace-like, rich filigree of ornamental iron, the decorative touch of enduring beauty. Used on both modern and traditional type homes, and easily installed by contractors or do-it-yourself owners. The better you know the Colonel the better you will like him. He stands for artistically designed, quality iron work in standardized designs and sizes at savings up to 1/3 in price compared to made-to-order work, and with fast, efficient service (shipment in about one week).




Copyright  
1956 Logan Co.  
Litho. in U.S.A.




Yes . . . LOW PRICE . . . SAVE UP TO 1/3

Yes . . . FAST SERVICE . . . SHIPMENT 1 WEEK





## WHY YOU SAVE UP TO $\frac{1}{3}$ THE COLONEL LOGAN WAY



No "detailed" measurements necessary before installation. Often can be fitted right on the job.




No expensive technical drawings necessary before manufacturing can proceed.



Slow, costly handwork is eliminated in manufacturing.




Mass production of standard sizes and designs reduces costs up to  $\frac{1}{3}$  but keeps quality high.




Interchangeable parts and "attachable" ornaments do much to reduce costs.



A variety of attractive standard designs. Also many different arrangements may be made in the field, to vary appearance.



Adaptable to all building types — modern, traditional, ranch, Colonial, English, French. For new homes and for modernizing.



Easily installed by Do-It-Yourself home owners, as well as by regular contractors.



COL. LOGAN WAY

Lower prices to dealer and consumer.



Fast shipment to dealers from stock, usually between 3 and 10 days after order received.





Colonel Logan is nationally advertised to millions of consumers.



The Colonel Logan line has the Good Housekeeping Seal of Approval.



Add \$1000<sup>00</sup>  
in value and  
appearance




## *Colonel Logan*




PORCH COLUMNS and RAILINGS

*Lend a touch  
of Old World Elegance*

A few dollars spent on Colonel Logan Standard-Size Porch Columns and Railings give that expensive look to the simplest home. When added to low or medium priced houses, Porch Columns lend richness and distinction. (Used also on many expensive dwellings). Volume production lowers costs and keeps Logan prices low.









# Colonel Logan

## COLUMNS FOR AWNINGS, CARPORTS, PORCHES

### Beauty and Charm for the home

These "Ready-Made" Porch Columns lend richness and distinction to low and medium-priced homes. A few dollars spent on Colonel Logan columns give that expensive look to the simplest dwelling. Because these columns are made in standard sizes, it is possible to produce them at the factory in large volume at low cost. These savings are passed on to the user in low, low prices on quality iron work. Installation directions attached to each shipment. All items finished one shop coat gray.



No. CA FLOOR SOCKET  
FOR 5" AWNING  
COLUMNS ONLY


These sockets are priced separately and are ordered separately. Specifications: Ht. 1", Width  $1\frac{1}{2}$ ", Length including hold down flange  $2\frac{1}{4}$ ". Will set-screw to post. Wt.  $\frac{1}{4}$  lb. Note: Posts may be set into concrete, omitting floor sockets.




No. 30 BASE PLATE  
FOR 6" AWNING COLUMNS  
AND CARPORT COLUMNS

These base plates are furnished with each column. See page 8 for full information on No. 30 Base Plate. If desired, posts may be set into concrete, omitting base plates.

For extra low porches we can furnish old-style columns in 9" and 12" widths which adjust top and bottom (low ht. of  $6'-8\frac{1}{4}"$ ). Shipment slower. Price is same. To order give regular design number and state "Old Style".



Columns Nos. A-3, A-4, A-1, A-2 are recommended for Awnings only.



Columns of 6", 9", 12" widths may be used for Carports as well as for Porches.


5" WIDTH,



No. A-3  
Single, 25 lbs.  
No. A-3C  
Corner, 39 lbs.

No. A-4  
Single, 25 1/2 lbs.  
No. A-4C  
Corner, 40 lbs.

6" WIDTH



No. A-1  
Single, 20 lbs.  
No. A-1C  
Corner, 32 lbs.

No. A-2  
Single, 20 lbs.  
No. A-2C  
Corner, 32 lbs.

No. CP-1  
Single, 25 lbs.  
No. CP-1C  
Corner, 39 lbs.

No. CP-2  
Single, 25 lbs.  
No. CP-2C  
Corner, 39 lbs.

#### For Awnings Only

Nos. A-3 and A-3-C can be cut to most any ht. Nos. A-4 and A-4-C adjust from 8'-0" to 6'-6 1/2".

#### For Awnings Only

Ht. adjusts from 8'-0" to 5'-5 3/8"

#### For Carports, Porches

Ht. adjusts from 9'-6" to 7'-2 1/8"

**SPECIFICATIONS: Awning Columns**  
No. A-3, A-3-C can be cut to most any height. No. A-4, A-4-C adjust from 8'-0" to 6'-6 1/2". Column posts are 5/8" sq. solid steel. Scroll work is 1/2" x 3/16", welded construction. Columns are load bearing, single column 400 lbs., corner 2,000 lbs., with safety factor of 2.

**SPECIFICATIONS: Awning Columns**  
No. A-1, A-1C, A-2, A-2C adjust in height from 8'-0" to 5'-5 3/8". Column posts are 1" sq. heavy steel tubing. Scroll work 3/16" x 5/8", welded construction. Columns are load bearing—single 2,000 lbs., corner 5,000 lbs. with safety factor of 2.

Note: All columns finished one shop coat gray. Also available in aluminum. Write for prices.

**SPECIFICATIONS: Carport and Porch Columns**  
No. CP-1, CP-1C, CP-2, CP-2C adjust in height from 9'-6" to 7'-2 1/8". Column posts are 1" sq. heavy steel tubing. Scroll work 3/16" x 5/8", welded construction. Columns are load bearing—single 2,000 lbs., corner 4,000 lbs. with safety factor of 2.



9" WIDTH

# Colonel Logan PORCH COLUMNS




TOP  
ATTACHMENT

Low Cost — Standard Sizes — Adjustable Height

9" WIDTH



BOTTOM  
ATTACHMENT




9" Width Columns have 1" square heavy steel tubing posts. Scroll work in the wrought iron designs is made of  $\frac{3}{16}$ " x  $\frac{3}{16}$ " flat. These


columns are load bearing, Single columns 2,000 lbs., corner columns 5,000 lbs., with safety factor of two. Finished one shop coat gray. Double face casting on 2-N.

## ORNAMENTAL BRACKETS


See also  
Pages 8-9



**No. 5-4 Ornamental Scroll.**  
For use with wrought iron columns. Made of  $\frac{3}{16}$ " x 1" flat. Lgth. 15". Ht. 11". Ship. wt. ea., 3 lbs.



**No. 5-6 Ornamental Scroll**  
For use with wrought iron columns. Made of  $\frac{3}{16}$ " x 1" flat. Lgth. 15", ht. 6". Ship. wt. ea., 2 lbs.



**No. 5-2 Grape Bracket** (for use with No. 2-J Column). Double face cast iron. Lgth. 17", ht. 9 1/2". Ship. wt. ea., 6 lbs.

ALL BRACKETS FINISHED ONE SHOP COAT GRAY



12" WIDTH

*Colonel Logan*


READY MADE

# PORCH COLUMNS

Graceful "iron lace" porch columns add beauty to the home at new low cost. Note construction of Logan columns. Ornamentation extends all the way to the top, and filler bars are added at bottom. This enhances appearance. Also height adjustment now is made at bottom end only. Special Size Columns also made. Write for prices.



ALL BRACKETS FINISHED ONE SHOP COAT GRAY



No. 5-4 Ornamental Scroll.  
For use with wrought iron columns. Made of  $\frac{3}{16}$ " x 1" flat. Lgth. 15". Ht. 11".  
Ship. wt. ea., 3 lbs.

No. 5-17 Curly Oak Bracket  
(for use with No. 17-J Column). Cast iron. Lgth. 19", ht. 19". Ship. wt. ea., 14 lbs.



No. 5-6 Ornamental Scroll (for use with wrought iron columns). Made of  $\frac{3}{16}$ " x 1" flat. Lgth. 15", ht. 6".  
Ship. wt. ea., 2 lbs.




No. 5-15 Ornate Curve Bracket (for use with No. 15-J Column). Double face cast iron. Lgth. 22", ht. 11 1/2".  
Ship. wt. ea., 12 1/2 lbs.




No. 5-14 Lace Design Bracket (for use with No. 14-J Column). Double face cast iron. Lgth. 19 3/4", ht. 10 1/4". Ship. wt. ea., 8 1/2 lbs.




No. 5-2 Grape Bracket (for use with No. 2-J Column). Double face cast iron. Lgth. 17", ht. 9 1/2". Ship. wt. ea., 6 lbs.




TOP  
ATTACHMENT




BOTTOM  
ATTACHMENT



**No. 7-J**  
7-J Single, 32 lbs.  
7-J-C Corner, 56 lbs.




**No. 16-J**  
16-J Single, 29 lbs.  
16-J-C Corner, 47 lbs.



**TYPICAL CORNER PANEL**

**No. 9-J-C** Note: If desired, posts may be set into concrete, omitting base plates.

**Shown**



**No. 30 BASE PLATE**

Steel base plates are furnished with each column. Formed-up flanges fit into post tubing to hold columns in place. Base plates bolt to porch floor. Size: Diameter 2 1/2", wt. 1/4 lb.

**COLUMNS FOR LOW PORCHES**

For extra low porches Logan can furnish old-style columns which adjust top and bottom (low ht. of 6'-8 1/4"). Shipment slower. Price is same. To order give regular design number and state "Old Style".





**No. 8-J**

8-J Single, 36 lbs.  
8-J-C Corner, 62 lbs.



**No. 9-J**

9-J Single, 39 lbs.  
9-J-C Corner, 69 lbs.



**No. 2-J**

2-J Single, 52 lbs.  
2-J-C Corner, 96 lbs.



**No. 17-J**

17-J Single, 51 lbs.  
17-J-C Corner, 97 lbs.



**No. 14-J**

14-J Single, 73 lbs.  
14-J-C Corner, 130 lbs.




**No. 15-J**

15-J Single, 65 lbs.  
15-J-C Corner, 122 lbs.


**HEIGHT ADJUSTMENT FOR COLUMNS**—The 10 $\frac{1}{8}$ " extension of posts at bottom permits adjustment for porch heights less than 8 ft. (Posts are cut off on job). Low adjustment limit is 7'-1 $\frac{7}{8}$ ".

**GENERAL SPECIFICATIONS**—Height of Panels 8 ft. (for heights less than 8 ft. cut posts off on job). Posts 1" sq. tubing, heavy gauge walls. The four wrought iron designs have scrolls  $\frac{3}{16}$ "x1". Cast iron designs are double faced, except No. 17-J which has an attractive back in relief, with veining in leaves, etc. Columns are load bearing—single columns 2,000 lbs., corner columns 6,000 lbs., with safety factor of 2. Finished one shop coat gray. All columns also available in aluminum. Write for prices. Installation directions attached to each shipment.

CLOSE-UP VIEWS TO SHOW DEPTH OF DESIGNS



**No. 16-J**



**No. 8-J**




**No. 2-J**  
CAST IRON  
Double face casting



**No. 17-J**  
CAST IRON  
Relieved back



**No. 14-J**  
CAST IRON  
Double face casting




**No. 15-J**  
CAST IRON  
Double face casting

**DEALERS: ORDER AN ASSORTMENT NOW FOR SALES & DISPLAY!**



# Colonel Logan STANDARD SIZE PORCH RAILINGS




1/2" SQ. PICKETS

## No. 10-P Ten Foot Panel

Shipped in 10 ft. panels only. Installer cuts railings to required length on the job, with hacksaw. No waste because small sections always can be used on other jobs. Iron railings finished one shop coat gray. Wt. 62 lbs. Specify **No. 10-PT** for alternate twisted pickets, see price list. Also furnished in aluminum. Write for prices.

## POSTS FOR PORCH RAIL

Wt. per post 4 lbs.



No. 1-LT  
END  
POST  
With  
Lamb's  
Tongue

No. 1  
END  
POST

No. 2  
INTERME-  
DIATE POST

No. 3  
CORNER  
POST




### No. 4 WALL END FITTING

—to secure top and bottom channels to building wall. May also be used for fastening porch railings to porch columns. Wt. 4 oz.



Typical Colonel Logan porch rail installation. Almost any style and size of porch can be fitted with these Logan "ready-made" rails.

NOTE: All posts are 1" square heavy steel tubing.



No. 5  
UPPER  
POST

No. 6  
LEFT CORNER  
POST

Above posts are used where Colonel Logan Porch rails and Step rails meet and join.



LS ORNAMENT  
(Large Scroll)  
Wt. 2 1/4 lbs.  
Ht. 18 1/2"



LD ORNAMENT  
(Large Diamond)  
Wt. 2 lbs.  
Ht. 24"

Ornaments ordered separately; assembled on pickets with set screws at time of installation. Specify style desired. See front cover, also pages 4, 5, 12, 14 and 15 for views of ornament installations. Posts also available with ball or urn at top. If Ball or Urn posts are desired



# Colonel Logan STANDARD SIZE STEP RAILINGS

## INSTALLATION DIRECTIONS ATTACHED TO EACH SHIPMENT

1/2" SQ. PICKETS

### No. 10-S Ten Foot Panel


Shipped in 10 ft. adjustable panels only. Installer cuts railings to required length on the job, with hacksaw. "Left-over" pieces usable on other jobs. Finished one shop coat gray. Wt. 56 lbs. Specify **No. 10-ST** for alternate twisted pickets. See price list. Also furnished in aluminum. Write for prices.

### ADJUSTABLE TO ANY STEPS

Colonel Logan step rails are adjustable to virtually any step angle (pitch) . . . steep, normal or gradual. Installation details are attached.

### ADJUSTABLE TO STEP ANGLE

Always in alignment



No. 8  
RIGHT CORNER  
POST

Wt. per post  
4 lbs.



BALL POST  
ORNAMENT  
Wt. 1 lb.



URN POST  
ORNAMENT  
Wt. 1 lb.



D ORNAMENT  
(Small Diamond)  
Wt. 1 lb.  
Ht. 10"



S ORNAMENT  
(Small Scroll)  
Wt. 1 lb.  
Ht. 7"




Typical Colonel Logan step rail installation. Almost any style and size of steps can be fitted with these Logan "ready-made" rails.


NOTE: All posts are 1" square heavy steel tubing.

## POSTS FOR STEP RAIL

Wt. per post 4 lbs.



No. 5-A-LT  
UPPER  
END  
POST  
With  
Lamb's  
Tongue



No. 7-LT  
LOWER  
END  
POST  
With  
Lamb's  
Tongue



No. 5-A  
UPPER  
END  
POST



No. 9  
INTER-  
MEDIATE  
POST



No. 7  
LOWER  
END  
POST



### No. 4-S WALL END FITTING


—to secure top and bottom channels to building wall. May also be used for fastening step railings to porch columns. Wt. 7 oz.

add prefix "B" for Ball and prefix "U" for Urn to post numbers when ordering (Examples: No. B-1, No. B-5, No. U-1, No. U-5 posts). Ball and Urn ornaments secured on at factory, for Porch and Step railings.



# Colonel Logan STANDARD SIZE DETAILS..TYPICAL PLANS

INTERMEDIATE POSTS USUALLY SPACED  
ABOUT 5'-0" ON CENTERS



**PORCH RAIL  
ASSEMBLY DETAIL**

Above sketch illustrates how railing panels are assembled with posts to form a finished railing.




**STEP RAIL  
ASSEMBLY DETAIL**

The sketch above shows assembly of adjustable panel with posts, to make a finished step rail.

## TYPICAL ARRANGEMENTS

Numbers shown are Post Nos.




Note that PLAN C covers installation onto and away from landing. See also landing installation photo at bottom left, this page.


Arrangements above are typical only. Unlimited variations of Colonel Logan rails are possible to suit conditions. Plans A and C above show porch rail and step rail used in combination. Plan B shows porch rail only. Plan D shows step rail only. Any size porch or steps may be served by using additional standard-size panels.



**No. 40 Base Plate.** For wood surface installation. Can also be used for concrete, brick or stone. Post fits in collar and is secured by bolt. Size: Diam. 4", Ht. 2 1/8", steel. Finish, prime coat gray. Ship. wt. 3/4 lb.



**No. 01 Starting Scroll.** Made of 1/8"x1" flat. Ht. 2'-3", width 6". Ship. wt. ea., 3 1/2 lbs. Finish, one shop coat gray.



**No. 02 Starting Scroll.** Made of 1/8"x1" flat. Ht. 2'-9", width 9". Ship. wt. ea., 5 1/2 lbs. Finish, one shop coat gray.




# Colonel Logan DUAL-PURPOSE RAILINGS

**"DUAL-PURPOSE" is a light weight — yet sturdy railing, for use where an extra-low price is a major consideration.**

Dual-Purpose offers even greater savings than the Colonel Logan regular railings. Features: Same railing sections are used for both level and step rail. Only one (1) style post is necessary.

It serves in all positions for porch railings and step railings. Railings in three lengths 10 ft., 6 ft., 4 ft. All-twisted flat pickets. Angle clips are used to secure railing to posts with bolts. End bolt holes are drilled in railings on the job. Angle clips are bent to proper angle for step installations, also top and bottom rails are mitre-sawed to make neat fit for step rails, on the job. Installation instructions attached to each shipment.



## For PORCH RAILING


**NOTE:** This is the same railing . . . used in horizontal position for Porch Rail . . . used in angle position for Step Rail, adjustable to virtually any angle, all twisted pickets. The one post serves for all post purposes, as End Post, Intermediate Post, Corner Post and Combination Posts for both Porch and Step Rails.

Note: Same Railing used both as level Porch Rail and as Step Rail.


Showing simple method of assembling railings and posts with angle clips and bolts.

No. DP-12 Post

Drill end bolt holes for securing to posts



No. DP-12 Post, Ht. 36". Ship. wt. 4 lbs.



## . . . or for STEP RAILING

Dual-Purpose is an addition to the Logan line. The regular Colonel Logan line continues.

**RAILING** offered in three lengths: 4 ft., 6 ft., and 10 ft. with style numbers, above. Installer cuts railings to other required lengths with hacksaw. Railing specifications as follows: Pickets  $\frac{3}{16}$ " x  $\frac{5}{8}$ " flat twisted. Top and bottom channels  $1\frac{1}{2}$ " x  $\frac{1}{8}$ ". Height top to bottom of rail 2'-5". Finish, prime coat gray. Shipping wt. 10' length—30 lbs. Also furnished in aluminum. Write for prices.

**POST SPECIFICATIONS:** Made of 1" square heavy gauge steel

tubing. All posts drilled to receive bolts on any side, for securing to railing with clips. Post can be set into concrete or other material. Also see base plate illustration above for wood surface mounting. Finish: prime coat gray. Ship. wt. 4 lbs.

**ANGLE CLIPS:** Made of flat steel. Used to secure top and bottom channels to posts or building walls. Can be bent to proper angle for step installation. 2 R. H. S. bolts furnished with each clip. One size  $\frac{3}{16}$ " x 1" and one size  $\frac{3}{16}$ " x  $\frac{1}{2}$ ".

Caps secured to post tops by means of spring clips inside post tubing.

No. DP-LT Lamb's Tongue Ornament, for use on end posts if desired. Secured to post with bolt. Ship. wt., 4 oz.

No. DP-16 Angle clip for securing railings to posts. Can be bent to proper angle for step installation. Ship. wt. 2 oz.

No. 40 Base Plate. For wood surface installation. Can also be used for concrete, brick or stone. Post fits in collar and is secured by bolt. Size: Diam. 4", Ht. 2 1/8", steel. Finish, prime coat gray. Ship. wt. 3/4 lb.

No. DP-18 Railing Support. For use as a support where desired under center of railing. Can be used in position shown or inverted. Made of  $\frac{1}{2}$ " x  $\frac{1}{2}$ " bent flat. Finish, gray. Ship. wt., 1/4 lbs.

No. DP-5 Ornament. Order separately. Install on pickets with bolts. Ht. 6 3/4". Finish, prime coat gray. Ship. wt. 1 1/4 lbs.

No. DP-D Ornament. Order separately. Install on pickets with bolts. Ht. 10". Finish, prime coat gray. Ship. wt., 1 1/4 lbs.



# Colonel Logan

STANDARD SIZE

## ENTRANCE RAILS

### PLAIN DESIGN

Style No.	Length	Weight Per Pr.
208	2'-8"	35 lbs.
302	3'-2"	37 lbs.
308	3'-8"	46 lbs.
402	4'-2"	48 lbs.

### SMALL SCROLL DESIGN

Style No.	Length	Weight Per Pr.
208-S	2'-8"	36 lbs.
302-S	3'-2"	38 lbs.
308-S	3'-8"	47 lbs.
402-S	4'-2"	49 lbs.

### SMALL DIAMOND DESIGN


Style No.	Length	Weight Per Pr.
208-D	2'-8"	36 lbs.
302-D	3'-2"	38 lbs.
308-D	3'-8"	47 lbs.
402-D	4'-2"	49 lbs.

### LARGE SCROLL DESIGN

Style No.	Length	Weight Per Pr.
208-LS	2'-8"	39 lbs.
302-LS	3'-2"	41 lbs.
308-LS	3'-8"	50 lbs.
402-LS	4'-2"	52 lbs.


### LARGE DIAMOND DESIGN

Style No.	Length	Weight Per Pr.
208-LD	2'-8"	39 lbs.
302-LD	3'-2"	41 lbs.
308-LD	3'-8"	50 lbs.
402-LD	4'-2"	52 lbs.



Now, at low cost, home owners can enjoy added beauty and safety at home entrances. Note: Railings are painted one shop coat gray. Also furnished in aluminum. Write for prices.



**BALL ORNAMENT and additional other ORNAMENTS**



Additional ornaments may be ordered separately to obtain highly decorative effects. Assembled on pickets with set screws.

**BASE PLATES** for wood surface installation.

If desired, base plates for securing posts to wood surfaces can be furnished. See page 12.



No. 308-ST

### ALTERNATE TWISTED PICKETS

All Colonel Logan Rails now are available in alternate square and twisted bar pickets, at slight extra cost. The alternate twisted bars give a special richness to the appearance of railings. If alternate twisted bars are desired add the letter "T" to the rail design number. Illustrated is the 3'-8" rail with scroll ornament. See price list.

All posts are 1" sq. heavy steel tubing.


THE DOORWAY IS THE SMILE ON THE FACE OF THE HOUSE




# 5 popular designs, each available in 4 sizes

FOR YOUR CONVENIENCE *when ordering*-HERE IS THE COMPLETE LINE OF ENTRANCE RAILS


## PLAIN DESIGN




4'-2" Long  
No. 402



3'-8" Long  
No. 308




3'-2" Long  
No. 302



2'-8" Long  
No. 208


## SMALL SCROLL DESIGN




4'-2" Long  
No. 402-S



3'-8" Long  
No. 308-S




3'-2" Long  
No. 302-S




2'-8" Long  
No. 208-S


## SMALL DIAMOND DESIGN




4'-2" Long  
No. 402-D



3'-8" Long  
No. 308-D



3'-2" Long  
No. 302-D




2'-8" Long  
No. 208-D

## LARGE SCROLL DESIGN



4'-2" Long  
No. 402-LS



3'-8" Long  
No. 308-LS




3'-2" Long  
No. 302-LS




2'-8" Long  
No. 208-LS


## LARGE DIAMOND DESIGN




4'-2" Long  
No. 402-LD



3'-8" Long  
No. 308-LD



3'-2" Long  
No. 302-LD




2'-8" Long  
No. 208-LD




# COLONEL LOGAN STANDARD-SIZE IRON WORK

## Buy "off the shelf" the Logan way


You get approximately 1-week shipment from Logan's complete stock! Take advantage of this amazing service.




**COLONEL LOGAN**  
ENTRANCE RAILS



**COLONEL LOGAN**  
PORCH RAILS — STEP RAILS



**COLONEL LOGAN**  
PORCH COLUMNS




**SUGGESTED LARGE DISPLAY  
FOR STORES**

Occupies almost no floor space — is flat against the wall. Consists of standard items except for Display Stand No. DS-30 at left. Just set in place on wood strips. Another wood strip at top makes securing to wall or ceiling easy. Any number of items may be used for your display. A good display will pay for the small time and effort required — many times over!

## SPECIAL DIRECT MAIL FOLDERS FOR DEALER USE

Write us for sample and details



DISPLAY  
STAND



OUTDOOR SIGN

COUNTER CARD




GOOD HOUSEKEEPING  
CARD



## Sales Building No. P-31 PROMOTION PACKAGE offered at less than cost!

At low—low cost you can obtain this complete promotion package (No. P-31) which puts you *in business* with Ornamental Iron! Here is what you get: 1 No. DS-30 Display Stand, 1 Outdoor Sign, 1 Counter Card, 1 Good Housekeeping Card, 1 Sales Manual, 25 Catalogs, 25 Price Lists, 300 Envelope Stuffers, 100 Contractor Circulars, 1 Set News Mats.

Whether you are a regular Colonel Logan dealer, or just starting to handle this profitable line, you will wish this sales kit—a powerful stimulant to bigger and better business in ornamental iron. Order your No. P-31 Promotion Package today. See price list.



*This company has been operated by  
the same family for 3 generations  
since 1876*



## LIST PRICES

Terms 2% 10, Net 30 days, F.O.B. Louisville, Ky.

*Colonel Logan* STANDARD SIZE ORNAMENTAL IRON

## 5" AWNING COLUMNS

Design No.		Weight Each	Price Each
A-3	Single Panel .....	25 lbs.	\$ 9.25
A-3C	Corner Panel .....	39 lbs.	15.10
A-4	Single Panel .....	25 1/2 lbs.	10.75
A-4C	Corner Panel .....	40 lbs.	16.90
CA	Floor Socket .....	1/4 lbs.	1.05

## 6" AWNING COLUMNS

A-1	Single Panel .....	20 lbs.	\$11.65
A-1C	Corner Panel .....	32 lbs.	18.30
A-2	Single Panel .....	20 lbs.	14.15
A-2C	Corner Panel .....	32 lbs.	21.30

## 6" CARPORT COLUMNS

CP-1	Single Panel .....	25 lbs.	\$14.15
CP-1C	Corner Panel .....	39 lbs.	22.15
CP-2	Single Panel .....	25 lbs.	16.95
CP-2C	Corner Panel .....	39 lbs.	27.30

## 9" PORCH COLUMNS

19-N	Single Panel .....	23 lbs.	\$12.65
19-NC	Corner Panel .....	39 lbs.	20.80
7-N	Single Panel .....	25 lbs.	13.90
7-NC	Corner Panel .....	39 lbs.	22.20
16-N	Single Panel .....	26 lbs.	15.80
16-NC	Corner Panel .....	41 lbs.	25.65
8-N	Single Panel .....	27 lbs.	16.25
8-NC	Corner Panel .....	45 lbs.	26.65
9-N	Single Panel .....	30 lbs.	17.30
9-NC	Corner Panel .....	50 lbs.	28.95
2-N	Single Panel .....	50 lbs.	32.65
2-NC	Corner Panel .....	93 lbs.	62.95

**NOTE:** All Logan Standard Size items also available in Aluminum and Hot Galvanized. Prices quoted promptly on request. All Colonel Logan standard size columns and railing finished one shop coat gray.



# 12" *Colonel Logan* PORCH COLUMNS

Design No.		Weight Each	Price Each
<b>7-J</b>	Single Panel .....	32 lbs.	<b>\$16.65</b>
<b>7-JC</b>	Corner Panel .....	56 lbs.	<b>27.85</b>
<b>16-J</b>	Single Panel .....	29 lbs.	<b>18.50</b>
<b>16-JC</b>	Corner Panel .....	47 lbs.	<b>31.60</b>
<b>8-J</b>	Single Panel .....	36 lbs.	<b>19.30</b>
<b>8-JC</b>	Corner Panel .....	62 lbs.	<b>32.45</b>
<b>9-J</b>	Single Panel .....	39 lbs.	<b>20.80</b>
<b>9-JC</b>	Corner Panel .....	69 lbs.	<b>34.85</b>
<b>2-J</b>	Single Panel .....	52 lbs.	<b>36.65</b>
<b>2-JC</b>	Corner Panel .....	96 lbs.	<b>69.95</b>
<b>17-J</b>	Single Panel .....	51 lbs.	<b>37.30</b>
<b>17-JC</b>	Corner Panel .....	97 lbs.	<b>72.30</b>
<b>14-J</b>	Single Panel .....	73 lbs.	<b>40.15</b>
<b>14-JC</b>	Corner Panel .....	130 lbs.	<b>74.65</b>
<b>15-J</b>	Single Panel .....	65 lbs.	<b>40.15</b>
<b>15-JC</b>	Corner Panel .....	122 lbs.	<b>74.65</b>

All Colonel standard size columns and railings finished or coat gray.

NOTE: For extra low porches we can furnish 12" and 9" old style columns which adjust top and bottom (low ht. of 6'-8"). Shipment slower. Price is same. To order give regular design number and state "Old style".

## ORNAMENTAL BRACKETS FOR COLUMNS

No.		Weight Each	Price Each
<b>S-6</b>	Ornamental Scroll .....	2 lbs.	<b>\$ 1.65</b>
<b>S-4</b>	Ornamental Scroll .....	3 lbs.	<b>2.15</b>
<b>S-2</b>	Grape Design .....	6 lbs.	<b>5.05</b>
<b>S-14</b>	Lace Design .....	8½ lbs.	<b>7.00</b>
<b>S-15</b>	Ornate Curve .....	12½ lbs.	<b>8.80</b>
<b>S-17</b>	Curly Oak .....	14 lbs.	<b>9.60</b>

ADVERTISING FOLDERS and NEWSPAPER MATS furnished free of charge on all Colonel Logan Standard Size Columns and Railings. Installation directions attached to all Columns and Railings.

**NOTE:** All Logan Standard Size items also available in Aluminum and Hot Galvanized. Prices quoted promptly on request.



# Colonel Logan PORCH AND STEP RAILS

Porch and Step Rails are priced per each — not pairs

## PORCH RAILS AND POSTS

Item No.	Weight	Price Ea.
10-P Rail (Plain Square Pickets) .....	62 lbs.	\$20.80
10-PT Rail (Alternate Twisted) .....	62 lbs.	22.20
1 End Post — Plain .....	4 lbs.	3.30
1-LT End Post with Lamb's Tongue .....	4 lbs.	4.20
2 Intermediate Post .....	4 lbs.	3.50
3 Corner Post .....	4 lbs.	4.40
4 Wall-End Fitting .....	4 oz.	.60

## STEP RAILS AND POSTS

NOTE: These step rails are adjustable to almost any angle.

10-S Rail (Plain Square Pickets) .....	56 lbs.	\$23.15
10-ST Rail (Alternate Twisted) .....	56 lbs.	24.55
5-A Upper End Post — Plain .....	4 lbs.	3.95
5-A-LT Upper End Post with Lamb's Tongue .....	4 lbs.	4.90
7 Lower End Post — Plain .....	4 lbs.	4.10
7-LT Lower End Post with Lamb's Tongue .....	4 lbs.	5.25
9 Intermediate Post .....	4 lbs.	4.55
4-S Wall-End Fitting .....	7 oz.	.90

## POSTS FOR COMBINATION OF PORCH AND STEP RAILS

5 Upper Post .....	4 lbs.	\$ 4.45
6 Left Corner Post .....	4 lbs.	5.15
8 Right Corner Post .....	4 lbs.	5.15

## BASE PLATE FOR RAILING POSTS

40 Base Plate (for any surface installation) .....	¾ lbs.	1.40
--	--------	------

## ORNAMENTS FOR PORCH OR STEP RAILS

"S" Ornament (Small Scroll) .....	1 lb.	\$ 1.30
"D" Ornament (Small Diamond) .....	1 lb.	1.50
"LS" Ornament (Large Scroll) .....	2¼ lbs.	3.50
"LD" Ornament (Large Diamond) .....	2 lbs.	2.90
Ball Ornament** (Secured on at factory) .....	1 lb.	1.45
Urn Ornament** (Secured on at factory) .....	1 lb.	1.45

"S", "LS" and "D", "LD" Ornaments must be ordered separately; are assembled on pickets by installer, with set screws. \*\*For Ball or Urn Ornament on post, add prefix "B" for Ball and prefix "U" for Urn to post numbers when ordering (Examples No. B-1, No. B-5, No. U-1, No. U-5 posts). Ball and Urn Ornaments are secured on at factory, for Porch & Step Railings. Add \$1.45 per post to post price.

## STARTING SCROLLS FOR RAILINGS

Item No.	Weight Ea.	Price Ea.
01 .....	3½ lbs.	\$ 2.90
02 .....	5½ lbs.	3.75



# Colonel Logan DUAL-PURPOSE RAILINGS

Dual Purpose Railings are priced per each — not pairs  
NOTE: Same railing used both as level Porch Rail and as Step Rail.

## RAILINGS AND FITTINGS

Item No.		Weight Each	Price Each
DP-10 Railing	.....	30 lbs.	\$17.45
DP-6 Railing	.....	19 lbs.	11.85
DP-4 Railing	.....	12 lbs.	7.70
DP-12 Post	.....	4 lbs.	2.20
DP-16 Clip	.....	2 oz.	.25
DP-18 Railing Support	.....	4 oz.	.60
DP-S Ornament (Small Scroll)	.....	1 1/4 lbs.	1.15
DP-D Ornament (Small Diamond)	.....	1 1/4 lbs.	1.60
DP-LT Lamb's Tongue	.....	4 oz.	1.15
40 Base Plate (for any surface installation)	.....	3/4 lbs.	1.40

## Colonel Logan ENTRANCE RAILS

Entrance Rails are priced per pair

PLAIN PICKETS				ALTERNATE TWISTED PICKETS	
Item No.	Length	Weight Per Pair	Price Per Pair	Item No.	Price Per Pair
208	2'-8"	35 lbs.	\$17.30	208 Twist	\$18.50
302	3'-2"	37 lbs.	18.80	302 Twist	19.70
308	3'-8"	46 lbs.	21.30	308 Twist	23.20
402	4'-2"	48 lbs.	23.80	402 Twist	25.50
208-S	2'-8"	36 lbs.	19.90	208-S Twist	21.10
302-S	3'-2"	38 lbs.	21.40	302-S Twist	22.30
308-S	3'-8"	47 lbs.	23.90	308-S Twist	25.80
402-S	4'-2"	49 lbs.	26.40	402-S Twist	28.10
208-D	2'-8"	36 lbs.	20.30	208-D Twist	21.50
302-D	3'-2"	38 lbs.	21.80	302-D Twist	22.70
308-D	3'-8"	47 lbs.	24.30	308-D Twist	26.20
402-D	4'-2"	49 lbs.	26.80	402-D Twist	28.50
208-LS	2'-8"	39 lbs.	24.30	208-LS Twist	25.50
302-LS	3'-2"	41 lbs.	25.80	302-LS Twist	26.70
308-LS	3'-8"	50 lbs.	28.30	308-LS Twist	30.20
402-LS	4'-2"	52 lbs.	30.80	402-LS Twist	32.50
208-LD	2'-8"	39 lbs.	23.10	208-LD Twist	24.30
302-LD	3'-2"	41 lbs.	24.60	302-LD Twist	25.50
308-LD	3'-8"	50 lbs.	27.10	308-LD Twist	29.00
402-LD	4'-2"	52 lbs.	29.60	402-LD Twist	31.30

## BASE PLATE FOR RAILING POSTS

Item No.	Weight Each	Price Each
40 Base Plate (for any surface installation)	1 1/2 lbs.	\$ 1.40



## ADDITIONAL ORNAMENTS FOR ENTRANCE RAILS

	Weight Each	Price Each
BALL Ornament	1 1/2 lbs.	\$ 2.10
"S" Ornament (Small Scroll)	1 lb.	1.30
"D" Ornament (Small Diamond)	1 lb.	1.50
"LS" Ornament (Large Scroll)	2 1/4 lbs.	3.50
"LD" Ornament (Large Diamond)	2 lbs.	2.90



Above separate ornaments are assembled on pickets by installer with set screws.  
NOTE: Scroll and Diamond Ornaments are included in the price of 208-S, 208-D, 208-LS, 208-LD, etc. of both plain and alternate twisted pickets. ADVERTISING FOLDERS and NEWSPAPER MATS furnished free of charge. INSTALLATION directions attached to each pair of rails.

Item No.	Weight Ea.	Price Ea.
P-31 Promotion Package	97 lbs.	\$40.84





SINCE  
1876



# Logan Co.

LOUISVILLE 6, KY.  
BUILDERS IRON DIVISION

August 24, 1956

Wm. Ritchie Co., Inc.  
119 Bishop St.  
New Haven, Conn.

Gentlemen:

Enclosed find new catalog No. 80-A, on that profit-making Colonel Logan ornamental iron.

Remember - you save up to 1/3 in price on this iron work ... it comes in ready-made standard sizes with many beautiful designs to choose from ... easily fitted on the job ... no waiting for drawings to be made and other usual delays. Also fast shipment from stock.

Please note: This new catalog has been rearranged to place porch columns "in order" according to price, starting with the low-priced economy numbers and working up to the more deluxe cast iron designs.

Colonel Logan offers many sales helps, see back cover of catalog, plus national advertising and the Good Housekeeping seal.

NOW is ordering time for ever-popular ornamental iron ... see your building supply dealer today.

Sincerely  
LOGAN CO.

C. W. Brown  
Sales Manager  
Builders Iron Division



